

Quantum Espresso 7.2 with GPU support (HPE)

Webpage

<https://www.quantum-espresso.org/>

Version

7.2

Build Environment

- NVIDIA HPC SDK 22.11 (nomp version)
- Intel MKL 2023.1.0
- OpenMPI 3.1.6

Files Required

- qe-7.2-ReleasePack.tgz

Build Procedure

```
#!/bin/sh

QE_VERSION=7.2
BASEDIR=/home/users/${USER}/Software/QE/${QE_VERSION}
#TARBALL=${BASEDIR}/qe-qe-${QE_VERSION}.tar.gz
TARBALL=${BASEDIR}/qe-${QE_VERSION}-ReleasePack.tar.gz

INSTDIR=/apl/qe/7.2-gpu
PARALLEL=12

CUDA_HOME=/apl/nvhpc/22.11/Linux_x86_64/22.11/cuda/11.8

# -----
umask 0022

module -s purge
module -s load nvhpc/22.11-nOMPI
module -s load mkl/2023.1.0
module -s load openmpi/3.1.6/nv22

export LANG=C
export LC_ALL=C
ulimit -s unlimited

cd ${INSTDIR}
if [ -d qe-${QE_VERSION} ]; then
    mv qe-${QE_VERSION} qe-erase
    rm -rf qe-erase &
fi

tar zxf ${TARBALL}
mv qe-${QE_VERSION}/* .
mv qe-${QE_VERSION}./[a-z]* .
rmdir qe-${QE_VERSION}

sed -i -e "s/wget -O/wget --trust-server-names -O/" \
      -e "s/curl -o/curl -L -o/" test-suite/check_pseudo.sh

export MPIF90=mpif90
export MPIFC=mpif90
export MPIF77=mpif90
export MPICC=mpicc
```

```

export MPICXX=mpicxx

rm -rf external/{devxlib,mbd}
mkdir external/devxlib
mkdir external/mbd

FC=nvfortran F90=nvfortran F77=nvfortran CC=nvc CXX=nvc++ \
./configure --enable-openmp \
--enable-openacc \
--with-scalapack=no \
--with-cuda=${CUDA_HOME} \
--with-cuda-cc=80 \
--with-cuda-runtime=11.8

for i in w90; do
echo "==== $i ===="
make $i
done

# pwall(pw neb ph pp pwcond acfdt) cp ld1 tddfpt hp xspectra gwl
echo "==== all ===="
make -j${PARALLEL} all

cd test-suite
make pseudo
cd ..

```

Tests

Following job script was used to run tests, since GPUs are not available in login nodes.

```

#!/bin/sh
#PBS -l select=1:ncpus=4:mpiprocs=4:ompthreads=1:ngpus=4
#PBS -l walltime=48:00:00

cd $PBS_O_O_WORKDIR

umask 0022
module -s purge
module -s load nvhpc/22.11-nompi
module -s load mkl/2023.1.0
module -s load openmpi/3.1.6/nv22

export LANG=C
export LC_ALL=C
ulimit -s unlimited

cd /apl/qe/7.2-gpu
cd test-suite

make clean
make run-tests
make clean
make run-tests NPROCS=4

```

Test results

Failed tests:

- pw_metaGGA/metaGGA-spin.in: libxc is necessary
- epw related tests: epw is not used

Notes

- HPC-X was not used, since UCX of HPC-X does not support thread parallel. Open MPI 3.1.6 is employed instead.
 - (UCX of system support thread parallel.)
 - (Rebuilding UCX of HPC-X may solve the problem.)

