

Molpro 2015.1 pl-44 (HPE)

ウェブページ

<https://www.molpro.net/>

バージョン

2015.1.44

ビルド環境

- GCC 9.2.1 (gcc-toolset-9)
- HPC-X 2.13.1
- MKL 2022.2.1

ビルドに必要なファイル

- molpro.2015.1.44.tar.gz
- ga-5.7.tar.gz
- work.patch
- patch-argos-binput.F
- patch-common-cconf
- patch-common-cconf1
- patch-common-cref
- patch-forces-forces_drv.F
- patch-mrci-ciref.F
- patch-util-zmatrix.F
- patch-make-molver.mk
- patch-cic-ltfFortranInt.h
- patch-slater-monoelectronicas.F
- patch-slater-RL4gen1.F
 - パッチファイルは /apl/molpro/2015.1.44/patches 以下に置いています。
- token

ビルド手順

```
#!/bin/sh

GA_VERSION=5.7
MOLPRO_VERSION=2015.1-pl44
MOLPRO_DIRNAME=molpro.2015.1.44
PARALLEL=12
BASEDIR=/home/users/qf7/Software/Molpro/2015.1.44
MOLPRO_TARBALL=${BASEDIR}/molpro.2015.1.44.tar.gz
TOKEN=${BASEDIR}/token

WORKDIR=/gwork/users/${USER}
INSTALLDIR=/apl/molpro/2015.1.44

GA_TARBALL=/home/users/${USER}/Software/GlobalArrays/5.7/ga-5.7.tar.gz
GA_INSTALLDIR=${WORKDIR}/ga-temporary
GA_INC=${GA_INSTALLDIR}

PATCH0=${BASEDIR}/work.patch
PATCH1=${BASEDIR}/patch-argos-binput.F
PATCH2=${BASEDIR}/patch-common-cconf
PATCH3=${BASEDIR}/patch-common-cconf1
PATCH4=${BASEDIR}/patch-common-cref
PATCH5=${BASEDIR}/patch-forces-forces_drv.F
PATCH6=${BASEDIR}/patch-mrci-ciref.F
PATCH7=${BASEDIR}/patch-util-zmatrix.F
PATCH8=${BASEDIR}/patch-make-molver.mk
PATCH9=${BASEDIR}/patch-cic-ltfFortranInt.h
```

```
PATCHQ1=${BASEDIR}/patch-slater-monoelectronicas.F  
PATCHQ2=${BASEDIR}/patch-slater-RL4gen1.F
```

```
#-----
```

```
umask 0022  
ulimit -s unlimited
```

```
cd $WORKDIR
```

```
if [ -d ga-${GA_VERSION} ]; then  
    mv ga-${GA_VERSION} ga_tmp  
    rm -rf ga_tmp &  
fi
```

```
if [ -d ga-temporary ]; then  
    mv ga-temporary ga_tmp_tmp  
    rm -rf ga_tmp_tmp &  
fi
```

```
if [ -d ${MOLPRO_DIRNAME} ]; then  
    mv ${MOLPRO_DIRNAME} molpro_tmp  
    rm -rf molpro_tmp &  
fi
```

```
module purge  
module load gcc-toolset/9  
module load openmpi/4.1.5-hpcx/gcc11  
module load mkl/2022.2.1
```

```
tar zxf ${GA_TARBALL}  
cd ga-${GA_VERSION}
```

```
export CFLAGS="-mpc80"  
export FFLAGS="-mpc80"  
export FCFLAGS="-mpc80"  
export CXXFLAGS="-mpc80"
```

```
export F77=mpif90  
export F90=mpif90  
export FC=mpif90  
export CC=mpicc  
export CXX=mpicxx  
export MPIF77=mpif90  
export MPIF90=mpif90  
export MPICC=mpicc  
export MPICXX=mpicxx  
export GA_FOPT="-O3"  
export GA_COPT="-O3"  
export GA_CXXOPT="-O3"
```

```
./configure --with-blas8 \  
    --enable-i8 \  
    --prefix=${GA_INSTALLDIR}
```

```
make -j ${PARALLEL}  
make check  
make install  
cp config.log ${GA_INSTALLDIR}
```

```
cd ../  
tar zxf ${MOLPRO_TARBALL}  
cd ${MOLPRO_DIRNAME}  
patch -p0 < ${PATCH0}  
patch -p0 < ${PATCH1}  
patch -p0 < ${PATCH2}  
patch -p0 < ${PATCH3}  
patch -p0 < ${PATCH4}  
patch -p0 < ${PATCH5}
```

```
patch -p0 < ${PATCH6}
patch -p0 < ${PATCH7}
patch -p0 < ${PATCH8}
patch -p0 < ${PATCH9}
patch -p0 < ${PATCHQ1}
patch -p0 < ${PATCHQ2}

export PATH="${GA_INSTALLDIR}/bin:$PATH" # where ga-config exists

CPPFLAGS="-I${GA_INSTALLDIR}/include" \
LDLIBS="-L${GA_INSTALLDIR}/lib" \
./configure --prefix=${INSTALLDIR} \
--enable-mpp=ga-config \
--enable-integer8 \
--enable-slater

LD_LIBRARY_PATH_ESC=`echo $LD_LIBRARY_PATH | sed -e 's/V\//\\V/g'` \
sed -i -e "s/^VERBOSE.*$/VERBOSE=/" \
-e "s/^LD_ENV=.*/LD_ENV=$LD_LIBRARY_PATH_ESC/" CONFIG
unset LD_LIBRARY_PATH_ESC

make -j ${PARALLEL}
cp $TOKEN lib/.token

make tuning

MOLPRO_OPTIONS="" make quicktest
MOLPRO_OPTIONS=-n2 make test
#make install # do it manually
```